

HTML Output to the IFS

- Works much like printer output
- Report is saved and never changes
- HTML formatting options
 - banner
 - background
 - cascading style sheet

	s 🐕 Sequence 😔 Selection 🕕 Having 🚯 Sott 💁 Tables 🔮 Breaks 🧿 Options \ominus Report 🥥 Html	
Iput type: HTML	HTML File Options	
C Report	Title: Orders by Region	
C DB File	V Include style sheet	
C CSV C XML	Style Sheet Path: [http://www.ngsiq.com/ngsdemo/staticces.com	
© HTML	Style Sheet Math (Intp://www.nging.com/ingidemo/rstatocce.com C No Banner C Left C Right @ Center	
C PDF	Banner Pahr (http://www.npsiq.com/ngsdemo/ngsbanner.jpg	
	Banner Hanr, Into / www.ngud, com/ngodemongodamer.pg	
	Background Path:	
	Selected Link Fields:	
	Link Type Full Field Link Test CREGIN	
	CREGIN	
tination: IFS	1	
mat Detai	1	
ver: No	1	
ader: Yes	1	
Programs: No	1	
nd to: E-mail	1	
n options	1	
n altributes	1	
description	1	
ery description		

- Output can include hyperlinks from report break summary to detail
- Report may be distributed as an email attachment
 - formatting preserved when file is opened within your network
 - HTML report data is easy to import/parse into Excel





Cascading Style Sheets

- A text file containing instructions a Web browser uses to display HTML
- Contains classes which correspond to sections of your report so you can specify things like:
 - fonts
 - type sizes
 - colors
 - backgrounds
 - borders



- Acts as an overlay to the HTML file to create the desired presentation
- Separates formatting from the HTML so you can create a reusable standard and save report development time
- Easy to create using many tools



IQ Server HTML Output to the IFS Style Sheet Classes

Report Section	Style Sheet Class	
Entire report when it is the only class defined	.BODY	
Entire report heading if it is the only report heading class defined	.IQHPAGE	
Individual lines of the report heading	.IQH01, .IQH02, .IQH03	
All column headings if it is the only column class defined	.IQHCOLUMN	
Individual lines of the column headings section	.IQH04, .IQH05, .IQH06, .IQH07, .IQH08, .IQH09	
Entire detail if it is the only detail class defined	IQDETAIL	
Individual lines of the detail section	.IQD01, .IQD02, .IQD03, etc.	
All report breaks, except end of report break, if it is the only report break class defined	.IQTOTAL	
Individual report break lines	.IQT01, .IQT02, .IQT03, to .IQT09	
End of report break	.IQEND	
Heading area of a report table	.IQTBLHDR	
Detail section of a report table	.IQTBLDTL	
Last line of the report table	.IQTBLTTL (the line showing the number of class entries)	

INFORMATION WHERE IT COUNTS





►NGS-I@

